


S60

Section 0 General

Plates



1 VIN marking: Type and model year designation and chassis number. Stamped in the engine compartment on the upper side of the firewall. VIN- plate, located on the upper side of the dashboard

2 Product plate: Located in the engine compartment on the right wheel arch in front of the spring strut turret

3 Engine type designation, serial and part numbers: Decal on the timing cover. Also stamped on the cylinder block, above the water pump housing, between the timing cover and the manifold

4 Gearbox type designation, part and serial number:


4a) Manual gearbox: Decal on front side.

4b) Automatic gearbox AW: Plate on the top

5 Air pressure: Decal on the inside of the fuel tank filler cover

6 Chassis no. plate: Below the left headlamp.

Type and model year designation and chassis number



1 Manufacturer's code

Control number (USA/CAN)

2 Vehicle type

7 Model year code

3 Variant

8 Factory code

4 Engine type

9 Chassis number.


5 Emissions

6 Gearbox type

Position	Subject	Code	Notes
1 (3 character)	Manufacturer's code	YV1	Volvo Car Corporation
2 (1 character)	Vehicle type	R	S60
3 (1 character)	Variant	S	4-door sedan
4 (2 character)	Engine type	49 61 65 53 58 57	B 5204 T5 B 5244 S B 5244 S2 B 5234 T3 B 5244 T3 B 5234 T7

S60*Type and model year designation and chassis number*

5 (1 character)	Emission code	K D R L Japan K Thailand C Arabia Q Arabia P N USA	L4. Engines 49, 53, 58 L6.Engines 53, 58 T4.Engines 61, 65 L7. Engines 53, 58 L4. Engine 57 L3. Engines 49, 53, 58 T3 Engines 61, 65 T2 Engines 61, 65 T1 Engine 61
6 (1 character)	Gearbox	2 9	M56 AW55-50
7 (1 character)	Model year code	Y 1 2	2000 2001 2002
8 (1 character)	Factory code	2	22 Volvo Europe Car (VCE) Belgium
9 (6 character)	Chassis number		000001-



Combination Engine- Gearbox

2000321n © VOLVO
H2000321

Engine:	Engine code:	Gearbox:	Final drive:
B 5204 T5	49	M56L AW55-50	4.25:1 2.65:1
B5244S	61	M56H AW55-50	4.25:1 2.44:1
B5244S2	65	M56L AW55-50	4.00:1 2.44:1
B 5234 T3	53	M56LK AW55-50	4.00:1 2.44:1
B 5244 T3	58	M56L AW55-50	4.00:1 2.44:1
B5234T7	57	M56L AW55-50	4.00:1 2.44:1

Product plate

VOLVO CARCORP		I
A		D
B		E
C1	kg	F
C2	kg	G
1- C3	kg	H
2- C4	kg	J

A. Type approval number.**Whole Vehicle Type Approval Number (WVTA)**

Chassis no. simplification (USA/CAN).

Construction date (Australia)

B. Identification number

Type designation

C₁. Maximum total weight**C₂. Maximum train weight** (car + trailer)**C₃. Maximum front axle pressure****C₄. Maximum rear axle pressure****I. Country of manufacture****D. Market code** (See Tables)**E. Interior code** (See Tables)**F. Paint finishCode / supplier / paint type**
(see Tables)**G. Service bulletin** (Options)**H. Chassis code** See next page**J. Additional information** for the WVTA.

Chassis code

Chassis codes are interpreted as follows:

- 1 Spring, front
- 2 Shock absorber, front
- 3 Anti-roll bar, front
- 4 Rear axle
- 5 Rear axle
- 6 Anti-roll bar, rear
- 7 Combined auxiliary spring front
- 8 Combined auxiliary spring rear.



M0000233

Chassis code Pos 1 and 2	Spring strut	Combined spring / shock absorber	
		Spring, front	Shock absorber, front
4F	8646459	9465464	8646419
4F	8646455	9465464	8646419
4D	8646456	9492226	8646419
4G	8646457	9461950	8646419
4E	8646458	9492227	8646419
2L	86 23 803	94 92 464	94 92 564
2M	86 24 623	94 92 226	86 24 604
2M	86 24 624	94 92 226	86 24 604
2N	86 24 625	94 92 227	86 24 604
2N	86 24 626	94 92 227	86 24 604
2P	86 24 627	94 65 464	86 24 604
2P	86 24 628	94 65 464	86 24 604
2R	86 34 003	86 24 883	86 24 604
2R	86 34 004	86 24 883	86 24 604
2S	86 34 005	94 65 472	86 24 604
2U	86 34 006	86 24 883	94 92 564
2U	86 34 145	86 24 883	94 92 564
2V	94 92 487	94 92 226	94 92 564
2X	94 92 488	94 92 226	94 92 568
2Y	94 92 493	94 92 227	94 92 568
2Z	86 23 806	94 65 464	94 92 568

Chassis code Pos 1 and 2	Spring strut	Combined spring / shock absorber	
		Spring, front	Shock absorber, front
3A	86 34 036	94 65 472	94 92 568
3B	86 34 034	86 24 883	94 92 568
2X	94 92 505	94 92 226	94 92 568
3B	86 34 035	86 24 883	94 92 568
2Y	94 92 506	94 92 227	94 92 568
2Z	86 23 807	94 65 464	94 92 568
3C	86 34 397	86 34 328	94 92564
3C	86 34 330	86 34 328	94 92564
3D	86 34 331	86 34 329	94 92 564
3D	86 34 332	86 34 329	94 92 564
3E	86 34 044	94 65 472	94 92 564
3E	86 34 045	94 65 472	94 92 564
1W	86 34 461	94 92 227	94 92 564
1W	86 34 466	94 92 227	94 92 564
2L	86 34 468	94 92 464	94 92 564
2M	86 34 486	94 92 226	86 24 604
2M	86 34 487	94 92 226	86 24 604
2N	86 34 488	94 92 227	86 24 604
2N	86 34 491	94 92 227	86 24 604
2P	86 34 492	94 65 464	86 24 604
2P	86 34 494	94 65 464	86 24 604
2R	86 34 498	86 24 883	86 24 604
2R	86 34 499	86 24 883	86 24 604
2S	86 34 500	94 65 472	86 24 604
2U	86 34 502	86 24 883	94 92 564
3C	86 34 503	86 34 328	94 92 564
3C	86 34 504	86 34 328	94 92 564
3D	86 34 505	86 34 329	94 92 564
3D	86 34 506	86 34 329	94 92 564
2U	86 34 507	86 24 883	94 92 564
3E	86 34 508	94 65 472	94 92 564
3E	86 34 509	94 65 472	94 92 564

Chassis code Pos 1 and 2	Spring strut	Combined spring / shock absorber	
		Spring, front	Shock absorber, front
2V	86 34 511	94 92 226	94 92 564
2Y	86 34 513	94 92 227	94 92 568
2X	86 34 512	94 92 226	94 92 568
2Z	86 34 514	94 65 464	94 92 568
3A	86 34 515	94 65 472	94 92 568
3B	86 34 516	86 24 883	94 92 568
2X	86 34 517	94 92 226	94 92 568
3B	86 34 518	86 24 883	94 92 568
2Y	86 34 519	94 92 227	94 92 568
2Z	86 34 520	94 65 464	94 92 568
2A	86 34 462	94 92 224	94 92 564
2B	86 34 463	94 92 228	94 92564
1T	86 34 464	94 92 179	94 92 564
1F	86 34 465	94 92 178	94 92 564
1W	86 34 466	94 92 227	94 92 564
2A	86 34 467	94 92 224	94 92 564
2B	86 34 469	94 92 228	94 92 564
1F	86 34 470	94 92 178	94 92 564
1S	86 34 471	94 92 223	94 92 567
1X	86 34 472	94 92 226	94 92 564
1T	86 34 473	94 92 179	94 92 564
2D	86 34 474	94 92 227	94 92 566
2E	86 34 475	94 92 224	94 92 566
2F	86 34 476	94 92 228	94 92 566
1P	86 34 477	94 92 221	94 92 564
2G	86 34 478	94 92 179	94 92 566
2H	86 34 479	94 92 178	94 92 566
2J	86 34 480	94 92 227	94 92 566
1B	86 34 481	94 92 220	94 92 567
2E	86 34 482	94 92 224	94 92 566
2F	86 34 483	94 92 228	94 92 566
2H	86 34 484	94 92 178	94 92 566

S60

Chassis code

Chassis code Pos 1 and 2	Spring strut	Combined spring / shock absorber	
		Spring, front	Shock absorber, front
1Z	86 34 485	94 92 222	94 92 567
1U	86 34 489	94 92 221	94 92 564
2K	86 34 490	94 92 226	94 92 566
2G	86 34 493	94 92 179	94 92 566
1V	86 34 495	94 92 220	94 92 567
1Z	86 34 496	94 92 222	94 92 567
1H	86 34 497	94 92 180	94 92 567
1H	86 34 510	94 92 180	94 92 567
8C	94 87 955	86 34 329	86 24 604
4C	86 34 922	94 61 950	94 92 568
4A	86 34 809	94 65 464	94 92 564
4B	86 34 804	94 61 950	94 92 564
2T	86 34 803	94 61 950	86 24 604
4B	94 87 907	94 61 950	94 92 564
3E	94 87 908	94 65 472	94 92 564
2S	94 87 911	94 65 472	86 24 604
8C	94 87 955	86 24 604	86 24 604

Chassis code Pos 3	Anti-roll bar, front	Marker ink
1	92 00 443	Orange
2	94 61 889	Yellow
3	94 92 040	White
4	94 61 483	Blue

Chassis code Pos 4 and 5	Rear axle			
		Spring, rear	Colour	Shock absorber, rear
34	86 34 018	94 92 148	Green	94 61 729
33	86 34 026	86 24 884	Green	94 61 729
35	92 00316	94 61 493	Blue	94 85 026
27	86 34 025	86 24 884	Green	86 24 605
27	86 34 027	86 24 884	Green	86 24 605
28	86 34 028	86 24 884	Green	94 61 278
28	86 34 029	86 24 884	Green	94 61 278
29	86 34 032	94 92 148	Green	94 61 278
30	86 23801	94 61 493	Blue	94 92 965
29	94 92 529	94 92 148	Green	94 61 278
30	86 23 802	94 61 493	Blue	94 92 965
31	86 34 022	94 92 148	Green	86 24 605
27	86 34 023	86 24 884	Green	86 24 605
31	86 34 024	94 92 148	Green	86 24 605
32	86 24 655	94 61 493	Blue	86 24 606
32	86 24 656	94 61 493	Blue	86 24 606
32	86 24 657	94 61 493	Blue	86 24 606
11	86 20 011	94 61 493	Blue	91 73 458
11	86 20 012	94 61 493	Blue	91 73 458
15	86 20 013	92 00609	White	92 00 406
15	86 20 014	92 00609	White	92 00 406
11	86 20 015	94 61 493	Blue	91 73 458
15	86 20 016	92 00 609	White	92 00406
16	86 20 017	92 00 609	White	92 00 406
16	86 20 020	92 00 609	White	92 00 406
14	86 20 018	92 00 610	White	92 00 406
12	86 20 019	91 91 413	Red	91 73 458
12	86 20 020	91 91 413	Red	91 73 458
16	86 20 021	92 00 609	White	92 00 406
40	86 34 343	86 34 340	White	86 34 104
40	86 34 345	86 34 340	White	86 34 104
42	86 34 346	86 34 341	White	86 34 104


Chassis code Pos 4 and 5	Rear axle			
		Spring, rear	Colour	Shock absorber, rear
43	86 34 429	86 24 884	Green	86 24 984
43	86 34 430	86 24 884	Green	86 24 984
44	86 34 431	94 92 148	Green	86 24 984
50	91 73 140	94 92 186		92 00406
51	94 61 613	94 92 187		92 00 406
50	91 91 240	94 92 186		92 00406
52	86 34 420	94 92 188		91 73 458
52	86 34 421	94 92 188		91 73 458
52	86 34 422	94 92 188		91 73 458
53	86 34 423	94 92 186		86 24 984
54	86 34 424	94 92 188		91 73 971
55	94 87 952	94 92 148	Green	86 24 605
30	86 34 689	94 61 493	Blue	94 92 965
31	86 34 690	94 92 148	Green	86 24 605
11	86 34 665	94 61 493	Blue	91 73 458
11	86 34 666	94 61 493	Blue	91 73 458
15	86 34 337	92 00 609	White	92 00406
15	86 34 668	92 00 609	White	92 00406
11	86 34 669	94 61 493	Blue	91 73 458
15	86 34 696	92 00 609	White	92 00406
16	86 34 370	92 00 609	White	92 00 406
16	86 34 671	92 00 609	White	92 00 406
14	86 34 672	92 00 610	White	92 00 406
12	86 34 673	91 91 413	Red	91 73 458
12	86 34 674	91 91 413	Red	91 73 458
16	86 34 675	92 00 609	White	92 00 406
12	86 34 676	91 91 413	Red	91 73 458
34	86 34 677	94 92 148	Green	94 61 729
33	86 34 678	86 44 884	Green	94 61 729
35	86 34 679	94 61 493	Blue	94 85 026
27	86 34 680	86 24 884	Green	86 24 605
27	86 34 681	86 24 884	Green	86 24 605

Chassis code Pos 4 and 5	Rear axle			
		Spring, rear	Colour	Shock absorber, rear
33	86 34 682	86 24 884	Green	94 61 729
35	86 34 683	94 61 493	Blue	94 85 026
30	86 34 687	94 61 493	Blue	94 92 965
27	86 34 691	86 24 884	Green	86 24 605
31	86 34 692	94 92 148	Green	86 24 605
32	86 34 693	94 61 493	Blue	86 24 605
32	86 34 694	94 61 493	Blue	86 24 605
32	86 34 695	94 61 493	Blue	86 24 605
31	86 34 148	94 92 148	Green	86 24 605
27	86 34 149	86 24 884	Green	86 24 605
27	86 34 150	86 24 884	Green	86 24 605
62	86 46 107	86 34 340		86 34 814
63	86 46 108	94 73 375		86 46 138
62	86 46 109	94 73 375		86 46 138
31	94 87 952	94 92 148		86 24 605
8A	94 87 894	94 92 486		91 73 458
8B	94 87 901	94 92 186		86 24 606
8B	94 87 904	94 92 186		86 24 606

Chassis code Pos 3	Anti-roll bar, rear
6	91 73 811

S60

Chassis code



Length and weight:

Dimensions:		S60 mm / inches
A	The wheels	2715/107"
B	Length	4576/180"
C	Width	1804 /71"
	(Japan)	(1813/71.4")
D	Track width 15 inch rims:	
	Front	1563/61.5"
	Rear	1560/61.4"

Weight information, refer also to the product plate at the front right wheel arch:	S60 kg
Maximum total weight	2020
Front axle load	1090
Rear axle load	1010
Maximum roof load	100
Maximum trailer weight:	
Unbraked	500
Braked: Not USA	1600
Braked: USA	1500

Fuel tank	S60
Capacity information:	litres
Executable volume, petrol engine	70
Executable volume, petrol engine, turbocharger	80
Non-executable volume (remaining volume)	2